

NEW TERRACOTTA
— PORTUGUESE HANDMADE —

ANCILLARY PRODUCTS GUIDE

Which adhesive, grout, sealant and finisher to use with our tiles

The right choice of materials and installation methods is essential to the success of your installation. Some adhesives carry a warning that they may react adversely with certain types of tiles. New Terracotta recommends the using of MAPEI fixing materials and suggests contractors contact a MAPEI specialist for more information about their products.

For typical installations please consider:

PRODUCT	USE	ADHESIVE	GROUT
■ HANDMADE NATURAL COTTO	Interior Floors + Walls Interior Wet Areas Exterior Floors + Walls	MAPEI Keraflex Extra S1	MAPEI Ultracolor Plus
■ ENCAUSTIC CEMENT TILES	Interior Floors + Walls Interior Wet Areas Exterior Floors + Walls	MAPEI Keraflex Extra S1	MAPEI Ultracolor Plus
■ TERRAZZO TILES (smaller than 60x60 cm)	Interior Floors + Walls Interior Wet Areas Exterior Floors + Walls	MAPEI Keraquick S1	MAPEI Ultracolor Plus
■ TERRAZZO TILES (bigger than 60x60 cm)	Interior Floors + Walls Interior Wet Areas Exterior Floors + Walls	MAPEI Elastorapid	MAPEI Ultracolor Plus
■ HANDMADE GLAZED TILES	Interior Walls Interior Wet Areas	MAPEI Keraflex	MAPEI Ultracolor Plus
	Exterior Walls	MAPEI Keraflex Extra S1	MAPEI Ultracolor Plus
	Swimming Pools	MAPEI Keraflex Extra S1	MAPEI Kerapoxy CQ
■ ZELLIGE TILES	Interior Walls Interior Wet Areas	MAPEI Keraflex	MAPEI Ultracolor Plus
	Exterior Walls	MAPEI Keraflex Extra S1	MAPEI Ultracolor Plus
	Swimming Pools	MAPEI Keraflex Extra S1	MAPEI Kerapoxy CQ
■ COLLECTIVE TILES	Interior Walls	MAPEI Keraflex	MAPEI Ultracolor Plus

The New Terracotta technical support team is available to assist you in determining the best practice for your installation. For more information contact us.

The finest New Terracotta surfaces can be kept at their beautiful best if protected carefully. New Terracotta recommends the using of MORA and FILA products and suggests clients contact a cleaning specialist for a professional consultancy.

For typical treatments please consider:

PRODUCT	USE	PROTECTOR	FINISHER
■ HANDMADE NATURAL COTTO	Interior Floors + Wall	MORA Fondomor Protect coverage 10 m ² per liter	MORA Aceite Mate / Brillo coverage 7 m ² per lite
	Interior Wet Areas	MORA Fondomor Protect coverage 10 m ² per liter	N/A
	Exterior Floors + Walls	MORA Morakon Intemperie coverage 5 m ² per liter	N/A
■ ENCAUSTIC CEMENT TILES	Interior Floors + Walls	FILA Hydrorep coverage 20 m ² per liter	FILA Matt / FILA Satin coverage 20 m ² per liter
	Interior Wet Areas	+	N/A
	Exterior Floors + Walls	FILA Filafob coverage 10 m ² per liter	N/A
■ TERRAZZO TILES	Interior Floors + Walls		FILA Matt / FILA Satin coverage 20 m ² per liter
	Interior Wet Areas	FILA MP90 Eco Plus coverage 30 m ² per liter	N/A
	Exterior Floors + Walls		N/A

The New Terracotta technical support team is available to assist you in determining the best practice for your installation. For more information contact us.

info@newterracotta.com

T. +351 214 681 626

M. +351 912 900 271 | +351 917 333 000

www.newterracotta.com

www.nwtmaterials.com

Polo Industrial Vale de Borregão,
3450-097 Marmeleira MRT
Portugal

